



Bayer Corporation
100 Bayer Road
Pittsburgh, PA 15205-9741
Phone: 412 777-2000

Writer's Direct Dial:
(412) 777-8353

May 17, 2001

Assistant Commissioner for Patents
Office of Initial Patent Examination
Customer Service Center
Washington, D.C. 20231

Re: Mo-6204/LeA 33,181
U.S. Serial No. 09/762,800
Filing Date: February 13, 2001

RECEIVED
SEP 17 2001
TC 1700

Dear Sir:

With reference to the above noted application, we wish to bring to your attention the following corrections on the filing receipt. Please make the following corrections:


- 1) Please change the address of Applicant No. 1 to read **Bergisch Gladbach**, Germany.
- 2) Please change the address of Applicant No. 2 to read **Odenthal**, Germany.
- 3) Please change the address of Applicant No. 3 to read **Koln**, Germany.

Thank you for your attention to this matter. We are attaching a copy of the filing receipt and a copy of the Combined Declaration and Power of Attorney with noted corrections. Please send us a corrected filing receipt for our file.

Sincerely yours,

Sue Riley
Patent Department

Enclosure
sr0304



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLAIMS	IND CLAIMS
09/762,800	02/13/2001	1724	860	MO-6204/LEA 33,181		5	1

CONFIRMATION NO. 8484

00157
BAYER CORPORATION
PATENT DEPARTMENT
100 BAYER ROAD
PITTSBURGH, PA 15205

FILING RECEIPT



OC000000006023016

Date Mailed: 04/30/2001

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Customer Service Center. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Roland Kleinstuck, ~~Leverkusen~~, GERMANY;
Torsten Groth, ~~Leverkusen~~, GERMANY;
Winfried Joentgen, ~~Leverkusen~~, GERMANY;

*Bergisch Gladbach
Odenthal
Köln*

RECEIVED
SEP 17 2001
TC 1700

Domestic Priority data as claimed by applicant

THIS APPLICATION IS A 371 OF PCT/EP99/05640 08/04/1999


Foreign Applications

GERMANY 198 37 068.7 08/17/1998

Projected Publication Date: N/A

Non-Publication Request: No

Early Publication Request: No



Title

Media for water treatment

Class 210

San Nguyen